























- [10] Jian Hu, Gang Wang, Fred Lochovsky, Jian-tao Sun, and Zheng Chen. Understanding user’s query intent with wikipedia. In *WWW*, 2009.
- [11] Klaus-Peter Adlassnig. Fuzzy set theory in medical diagnosis. *Systems, Man and Cybernetics, IEEE Transactions on*, 16(2):260–265, 1986.
- [12] Tomas Mikolov, Ilya Sutskever, Kai Chen, Greg S Corrado, and Jeff Dean. Distributed representations of words and phrases and their compositionality. In *NIPS*, 2013.
- [13] Andriy Mnih and Geoffrey Hinton. Three new graphical models for statistical language modelling. In *ICML*, 2007.
- [14] Ronan Collobert and Jason Weston. A unified architecture for natural language processing: Deep neural networks with multitask learning. In *ICML*, 2008.
- [15] Zheng Chen, Fan Lin, Huan Liu, Yin Liu, Wei-Ying Ma, and Liu Wenyan. User Intention Modeling in Web Applications Using Data Mining. In *WWW*, 2002.
- [16] Botao Hu, Yuchen Zhang, Weizhu Chen, Gang Wang, and Qiang Yang. Characterizing search intent diversity into click models. In *WWW*, 2011.
- [17] Honghua (Kathy) Dai, Lingzhi Zhao, Zaiqing Nie, Ji-Rong Wen, Lee Wang, and Ying Li. Detecting online commercial intention (OCI). In *WWW*, 2006.
- [18] Puyang Xu and Ruhi Sarikaya. Convolutional neural network based triangular CRF for joint intent detection and slot filling. In *2013 IEEE Workshop on Automatic Speech Recognition and Understanding, ASRU 2013 - Proceedings*, 2013.
- [19] Long Chen, Dell Zhang, and Mark Levene. Question retrieval with user intent. In *SIGIR*, 2013.
- [20] Xiao Ding, Ting Liu, Junwen Duan, and Jian-yun Nie. Mining User Consumption Intention from Social Media Using Domain Adaptive Convolutional Neural Network. In *AAAI*, 2015.
- [21] Puyang Xu and Ruhi Sarikaya. Contextual Domain Classification in Spoken Language Understanding Systems Using Recurrent Neural Network. In *ICASSP*, 2014.
- [22] Xiang Zhang, Junbo Zhao, and Yann LeCun. Character-level convolutional networks for text classification. In *NIPS*, 2015.
- [23] Siwei Lai, Liheng Xu, Kang Liu, and Jun Zhao. Recurrent Convolutional Neural Networks for Text Classification. In *AAAI*, 2015.
- [24] Ali S Razavian, Hossein Azizpour, Josephine Sullivan, and Stefan Carlsson. Cnn features off-the-shelf: an astounding baseline for recognition. In *CVPRW*, 2014.
- [25] Yoon Kim. Convolutional Neural Networks for Sentence Classification. In *EMNLP*, 2014.
- [26] Yann LeCun, Léon Bottou, Yoshua Bengio, and Patrick Haffner. Gradient-based learning applied to document recognition. In *Proceedings of the IEEE*, 86(11):2278–2323, 1998.
- [27] L Gershkoff-Stowe and S Goldin-Medow. Is there a natural order for expressing semantic relations? *Cognitive Psychology*, 45(3):375, 2002.
- [28] Yulia Tsvetkov, Manaal Faruqui, Wang Ling, Guillaume Lample, and Chris Dyer. Evaluation of word vector representations by subspace alignment. In *EMNLP*, 2015.
- [29] Hua-Ping Zhang, Hong-Kui Yu, De-Yi Xiong, and Qun Liu. HHMM-based chinese lexical analyzer ICTCLAS. In *SIGHAN*, 2003.
- [30] Patrice Y Simard, Dave Steinkraus, and John C Platt. Best practices for convolutional neural networks applied to visual document analysis. In *ICDAR*, 2003.
- [31] Geoffrey E. Hinton, Nitish Srivastava, Alex Krizhevsky, Ilya Sutskever, and Ruslan Salakhutdinov. Improving neural networks by preventing co-adaptation of feature detectors. arXiv preprint arXiv:1207.0580, 2012.
- [32] Minjie Wang, Tianjun Xiao, Jianpeng Li, Jiaying Zhang, Chuntao Hong, and Zheng Zhang. Minerva: A scalable and highly efficient training platform for deep learning. In *NIPS Workshop, Distributed Machine Learning and Matrix Computations*, 2014.
- [33] Ilya Sutskever, James Martens, George Dahl, and Geoffrey E. Hinton. On the importance of initialization and momentum in deep learning. In *ICML*, 2013